SDS(Safety Data Sheet)

Product	Kixx MX9 4T SN 20W-50		
MSDS Number	List No.	Issuing date	Last revised date
-	LB3243	2019-07-16	2025-04-24

1. IDENTIFICATION

1) Product name

Kixx MX9 4T SN 20W-50

2) Recommended use of the chemical and restriction on use

- Recommended use: Lubricants
  Gasoline Engine Oil (4 Stroke Motorcycle)
- Restrictions on use: Do not use for any other purpose.

3) Details of the supplier of the safety data sheet

○ **Manufacturer**

- Company name: GS Caltex Corporation
- Address: GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea
- Emergency telephone number: +82-1899-5145

2. HAZARDS IDENTIFICATION

1) Classification of the product

- Not applicable

2) Label elements

○ **Hazard pictograms**

- Not applicable

○ **Signal word**

- Not applicable

○ **Hazard statements**

- Not applicable

○ **Precautionary statements**

1) Prevention

- Not applicable

2) Response

- Not applicable

3) Storage

- Not applicable

4) Disposal

- Not applicable

3) Other hazards

○ **Product NFPA Level**

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

Product name	Health	Flammable	Reaction
Kixx MX9 4T SN 20W-50	0	1	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic	Emulsifiable oil	64742-54-7	265-157-1	84 ~ 94
영업비밀				5 ~ 10
N-Phenylbenzenamine	Anilinobenzene ; Benzene, (phenylamino)-;Amino diphenyl	122-39-4	204-539-4	0 ~ 2
Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	1-Hexanol,2-ethyl-, O,O-diester with phosphorodithioic acid, zinc salt (7CI)	4259-15-8	224-235-5	0.2 ~ 1
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	; DI-C1-14 ALKYL DITHIOPHOSPHORIC ACID, ZINC SALT ;Dialkyl(C1-C14)dithiophosphoric acid, zinc salt	68649-42-3	272-028-3	0.2 ~ 1
3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	Octyl-3,5-di-tert-butyl-4-hydroxy-hydrocinnamate	125643-61-0		0.1 ~ 0.7

※ Except for the above components, all components are not listed as they do not meet the criteria for hazardous risk classification in Article 104 (Classification of Hazardous Factors) of Regulated Acts and Occupational Safety and Health Act.

※ This product has less than 3% DMSO extract as measured by the IP346 method.

4. FIRST AID MEASURES

1) Eye contact

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- If eye irritation persists: Get medical advice/attention.

2) Skin contact

- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- Remove and isolate contaminated clothing and shoes.
- Launder contaminated clothing and shoes before re-use.
- If skin irritation occurs: Get medical advice/attention.

3) Inhalation	- Move victim to fresh air. - Give artificial respiration if victim is not breathing. - Administer oxygen if breathing is difficult. - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
4) Ingestion	- If unconscious but breathing, never give anything by mouth - If swallowed do not induce vomiting, seek medical advice immediat. - Get immediate medical advice/attention. - Rinse mouth.
5) Indication of any immediate medical attention and special treatment needed	- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

1) Suitable (and unsuitable) extinguishing media	- Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media) - Large fire: Water spray/fog, regular foam (Suitable extinguishing media) - High-pressure water (Unsuitable extinguishing media)
2) Special hazards arising from the substance or mixture	- May be ignited by heat, sparks or flames. - Fire may produce irritating and/or toxic gases. - May cause toxic effects if inhaled.
3) Special protective equipment and precautions for firefighters	- Substance may be transported hot. - Runoff may cause pollution. - Contact may cause burns to skin and eyes. - Dike fire-control water for later disposal; do not scatter the material. - Move containers from fire area if you can do it without risk. - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out. - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

6. ACCIDENTAL RELEASE MEASURES

1) Health considerations and protective equipment	- Do not touch or walk through spilled material. - ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). - Ventilate the contaminated area. - Stop leak if you can do it without risk. - Prevent dust cloud. - Please note that materials and conditions to be avoided.
2) Environmental	- Prevent entry into waterways, sewers, basements or confined areas.

precautions

3) Methods and material for containment and cleaning up

- Small Spill: Flush area with flooding quantities of water.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

7. HANDLING AND STORAGE

1) Precautions for safe handling

- Wash ... thoroughly after handling.
- Please note that materials and conditions to be avoided.
- Handling refer to engineering control/personal protection section.
- Cuation: High temperature

2) Conditions for safe storage (including any incompatibilities)

- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Control parameters

Chemical name	Exposure limits	ACGIH TLV	OSHA PEL	Biological limit values(BLV)
Distillates (petroleum), hydrotreated heavy paraffinic	TWA :Not available	Not available	Not available	Not available
영업비밀	Not available	Not available	Not available	Not available
N-Phenylbenzenamine	TWA : 10 mg/m3	Not available	Not available	Not available
Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	Not available	Not available	Not available	Not available
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	Not available	Not available	Not available	Not available
3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	Not available	Not available	Not available	Not available

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

3) Personal protection equipment

○ **Respiratory protection**
- Wear a adequate respiratory protection equipment with certificate by considering physicochemical properties of exposured particulate material.
- In case exposured to particulate material, the respiratory protective equipments as follow are recommended. - facepiece filtering respirator or air-putifying respirator, high-efficiency particulate air(HEPA) filter media or resporator equipped with power
- In lack of oxigan(<19.6%), wear the supplied-air respiratior or self-contained breathing apparatus.
- Consider the warning characteristics beforehand.

○ **Eye protection**
- Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
- An eye wash unit and safety shower station should be available nearby work place.
- In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.

○ **Hand protection**
- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
- In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.

○ **Body protection**
- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
- In case of direct exposure or potential exposure to the substance, wear protective clothing for chemicals approved in the country.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Apperance	Liquid
Color	Light yellow
Smell	a specific smell of hydrocarbon
Smell Threshold	No Data
pH (Numerical value)	No Data
Melting/Freezing Point	No Data
Boilling Point	No Data
Flash Point	249 ℃
Evaporating Rate	No Data
Flammability(Solid, Gas)	No Data
Explosibility Range	No Data
Steam Pressure	No Data
Solubility	No Data

Vapor Density	No Data
Specific Gravity	0.857
Distribution Coefficient	No Data
SelfIgnition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	19.7 mm2/s (at 100℃)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

1) Chemical Stability and hazardous reactivity
- Stable under normal temperatures and pressures.
- Containers may explode when heated.
- Some may burn but none ignite readily.

2) Conditions to avoid
- Ignition source(heat, spark, flame)

3) Incompatible materials
- Combustibles
- Irritating and/or toxic gas

4) Hazardous decomposition products
- Not available

11. TOXICOLOGICAL INFORMATION

1) Information on the likely routes of exposures

○ **Inhalation**

- No inhalation effects through respiratory system.

○ **Skin contact**

- No effect on skin contact.

○ **Eye contact**

- No effect on eye contact.

○ **Ingestion**

- No ingestion effect through mouth.

2) Health hazard information

○ **Acute toxicity**

*** Oral - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : rat; LD50 > 800 ㎎/kg bw (ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rat(male); LD50 = 3100 ㎎/kg bw (OECD TG 401) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rat; LD50 = 3100 mg/kg bw (read across: zinc

bis(O,O?diisooctyl) bis(dithiophosphate) (ECHA)

- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : rat(male/female); LD50 > 2000 mg/kg bw, no deaths (OECD TG 401, GLP) ECHA)

*** Dermal - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rabbit(male); LD50 > 5000 ㎎/kg bw (OECD TG 402) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit(male/female); LD50 > 3160 mg/kg bw, no deaths (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : rat(male/female); LD50 > 2000 mg/kg bw, no deaths (OECD TG 402, GLP) ECHA)

*** Inhalation(Gas) - Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

*** Inhalation(Vapour) - Not classified (ATEmix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rat; LC50 > 5 mg/L air, no deaths (no data for exposure time)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not available

*** Inhalation(Dust, mist) - Not classified (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : inhalation: aerosol; rat(male/female); 4h-LC50 > 5.53 mg/L. No deaths (read-across: MRD-87-102) (OECD TG 403)(ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not available

○ Skin corrosion/Irritation : Not classified

- Distillates (petroleum), hydrotreated heavy paraffinic	:	Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin of rabbits. (read across : 64742-56-9) (GLP) (ECHA)
- 영업비밀	:	Not available
- N-Phenylbenzenamine	:	The substance caused no or only very slight skin irritation in tests with rabbits. (ECHA)

- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rabbit; not irritating (OECD TG 404, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit; irritating (PDII = 4) (read across: Cetrimonium chloride (CAS No: 112-02-7))(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : rabbit; not irritating (OECD TG 404, GLP) (ECHA)

○ **Serious eye damage/irritation : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant. (read-aross: 64742-56-9) (equivalent or similar to guideline OECD TG 405, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : rabbit: slightly irritating(OECD TG 405)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rabbit; zinc salt causes persistent eye irritation through 21 days. (OECD TG 405, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit; irritating (read across: Stearyltrimethylammonium chloride) (OECD TG 405)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Rabbit; not irritating (OECD TG 405, GLP) (ECHA)

○ **Respiratory sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not available

○ **Skin sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	Under the conditions of the test, Solvent dewaxed light paraffinic oil is considered non-sensitizing for guinea-pigs. (read-aross: 64742-56-9) (OECD TG 406, GLP) (ECHA)
- 영업비밀	:	Not available
- N-Phenylbenzenamine	:	Human; not sensitising(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	:	guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	:	Human(patch test); not sensitising(positive reaction index=0) (read across: Cetrimonium chloride (CAS No: 112-02-7))(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)

○ **Carcinogenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- 영업비밀	:	Not available
- N-Phenylbenzenamine	:	rat(male/female); oral; 12 or 24 months; There was no evidence of carcinogenicity in this study. (OECD TG 453, GLP)(ECHA) ACGIH:A4 US EPA : Not Likely to be Carcinogenic to Humans(US EPA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	:	IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	:	IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed

○ **Germ cell mutagenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	In vitro bacterial reverse mutation assay: negative (equivalent or similar to guideline OECD TG 471) (ECHA) In vitro mammalian chromosome aberration test: negative (read-aross : 64742-53-6) (equivalent or similar to guideline OECD TG 473, GLP) (ECHA) In vivo micronucleus assay : negative (read-across : 64741-62-4, 64741-53-3) (equivalent or similar to guideline OECD TG 474) (ECHA)
- 영업비밀	:	Not available

- N-Phenylbenzenamine : In vitro bacterial reverse mutation assay; negative (OECD TG 471)(ECHA), In Vitro Mammalian Cell Gene Mutation Test: negative without metabolic activation, positive with metabolic activation(OECD TG 476, GLP)(ECHA)
  In vivo Micronucleus Test: negative(OECD TG 474, GLP)(ECHA), In vivo Unscheduled DNA Synthesis (UDS) Test: negative(OECD TG 486, GLP)(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : In vitro bacterial reverse mutation assay; negative (OECD TG 471, GLP) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test: negative (OECD TG 474, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : In vitro - Bacterial reverse mutation test ; Negative (OECD TG 471) (read across; Cetrimonium chloride (CAS No: 112-02-7), 2',4',5',7'-tetrabromo-4,5,6,7-tetrachloro-3',6'-dihydroxy-3H-spiro[2-benzofuran-1,9'-xanthen]-3-one) (ECHA)
  In vivo: Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : In vitro Bacterial Reverse Mutation Assay; negative (OECD TG 471, GLP) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test; negative (OECD TG 474, GLP) (ECHA)

○ **Reproductive toxicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat; screening for reproductive / developmental toxicity; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (read-aross : Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : rabbit; not adversely affected at any dose level evaluated.(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : rat(male/female); oral; 30, 100, 200 mg/kg/day; Reproduction / Developmental Toxicity Screening Test; NOAEL(parental and neonatal toxicity)=30 mg/kg/day (OECD TG 421, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : In a developmental toxicity study, Sprague-Dawley female rats were treated with Quat-Silsesquioxane in the concentration of 0, 100, 300, or 1000 mg/kg/day orally by gavage in corn oil.No maternal mortality and clinical signs or behavioral changes were observed in treated female rats as compared to control. NOAEL(P)=300 mg/kg bw, NOAEL(F1)=1000 mg/kg bw (read across : Quaternary Silsesquioxane)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : rabbit; oral; 20, 40, 80 mg/kg bw/day; It is not thought that the increase in post implantation loss is due to the slight maternal toxicity recorded. However, due to a deficiency in the food consumption data it is not possible to draw a firm conclusion based on an incomplete maternal data set. Therefore Evernox 1135 will not be classified at this stage but an embryo-fetal study, on a second species, namely the rat, will be triggered at the next tonnage band so that a firm and definitive conclusion can be drawn regarding Evernox 1135 and whether it does, or does not, warrant classification as a Reproductive Toxicant. (OECD TG 414, GLP) (ECHA)

○ **Specific target organ toxicity (single exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy : Hydronephrosis of the right kidney was observed in one rat but was not considered treatment-related by the study authors. No other abnormalities

paraffinic		were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG 401, GLP)(ECHA) Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal irritation or signs of clinical toxicity. Gross necroscopy did not reveal any signs of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- 영업비밀	:	Not available
- N-Phenylbenzenamine	:	Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	:	oral; rat(male); Depresson, diarrhea, reduced food intake. LD50 = 3100 mg/kg bw (OECD TG 401) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	:	Significant effects not observed. (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	oral; rat(male/female); Effects on organs: No deviations from the normal morphology. (OECD TG 401, GLP) ECHA)

○ **Specific target organ toxicity (repeated exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	Dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (read-aross : 64742-53-6) (OECD TG 410, GLP) (ECHA) Inhalation; rat; 4 weeks; 0, 50, 220 or 1000 mg/m3; No systemic effects were observed. The NOAEL for lung changes associated with oil deposition in the lungs was 220 mg/m3. As no systemic toxicity was observed, the overall NOAEL for systemic effects was > 980 mg/m3. (equivalent or similar to guideline OECD TG 412) (ECHA)
- 영업비밀	:	Not available
- N-Phenylbenzenamine	:	rat(male/female); oral; 2years; 0, 0.001, 0.01, 0.1, 0.5, 1.0%; There was no evidence of toxicity to rats ingesting an average of 2.25 g/kg DPA (0.01% DPA diet for 2 years). This corresponds to a NOAEL value of 3 mg/kg/day. (OECD TG 452)(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	:	oral; rat(male/female); 10, 50, 125, 250, 500 mg/kg/day; 28 days; NOAEL(systemic toxicity)=125 mg/kg bw/day (OECD TG 407, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	:	Sprague-Dawley female rats were treated with Quat-Silsesquioxane in the concentration of 0, 100, 300, or 1000 mg/kg/day orally by gavage in corn oil.No maternal mortality and clinical signs or behavioral changes were observed in treated female rats as compared to control. NOAEL(P)=300 mg/kg bw, NOAEL(F1)=1000 mg/kg bw (read across : Quaternary Silsesquioxane)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	rat(male/female); oral; 90 days; no effects (OECD TG 408, GLP) (ECHA)

○ **Aspiration hazard : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	Viscosity: 73.9 mm2/s (40°C)(ECHA) & hydrocarbons
- 영업비밀	:	Not available
- N-Phenylbenzenamine	:	Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	:	131.6 cSt at 40°C (ECHA) & not hydrocarbons
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	:	Viscosity: > 9 - < 15 mm2/s (100°C; OECD TG 114)(ECHA) & not hydrocarbons
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	Viscosity : 110-115 mPa s (40°C) (OECD TG 114) (ECHA) & not hydrocarbons

12. ECOLOGICAL INFORMATION

1) Ecotoxicity

- Acute toxicity : Not classfied (ATEmix>1mg/L)
- Chronic toxicity : Not classfied

○ **Acute (short-term) aquatic hazard:**

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : 96h-LC50(Pimephales promelas)=3.79 mg/L(HSDB)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 96h-LL50(Oncorhynchus mykiss) = 4.4 mg/L (OECD TG 203, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.000000000005072 mg/L at 25° C)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : water solubility : < 0.03 mg/l (20°C, pH 6.4), 96h-LC50(Danio rerio) > 94 mg/L (OECD TG 203, GLP) (ECHA); no short-term toxicity

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (read across : 64742-53-6 or 64741-97-5) (equivalent or similar to guideline OECD TG 202) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : 48h-EC50(Daphnia magna)=2 mg/L(OECD TG 202, GLP)(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 48h-EL50(Daphnia magna) = 75 mg/L (OECD TG 202, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.000000000005072 mg/L at 25° C)(ECHA)

- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : water solubility : < 0.03 mg/l (20°C, pH 6.4), 24h-EC50(Daphnia magna) = 4.3 mg/L (OECD TG 202, GLP) (ECHA); no short-term toxicity

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- 영업비밀 : Not available
- N-Phenylbenzenamine : 72h-ErC50(Pseudokirchneriella subcapitata)=2.17 mg/L(OECD TG 201, GLP)(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 72h-ErL50(Desmodesmus subspicatus) = 410 mg/L (OECD TG 201, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.000000000005072 mg/L at 25° C)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : water solubility : < 0.03 mg/l (20°C, pH 6.4), 72h-ErC50(Desmodesmus subspicatus) > 3 mg/L (OECD TG 201, GLP) (ECHA); no short-term toxicity

○ **Chronic (Long-term) aquatic hazard:**

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : water solubility : < 0.03 mg/l (20°C, pH 6.4), 36d-NOEC(Danio rerio) = 0.001 mg/L (OECD TG 210, GLP) (ECHA)

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L (read across: 64742-53-6) (equivalent or similar to guideline OECD TG 211, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 28d-NOEC(Daphnia magna) = 0.4 mg/L (OECD TG 211, GLP) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : water solubility : < 0.03 mg/l (20°C, pH 6.4), 21d-NOEC(Daphnia magna) <= 0.01 mg/L (OECD TG 211, GLP) (ECHA)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(Pseudokirchnerella subcapitata) >= 100 mg/L (read across: 72623-87-1) (OECD TG 201) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : 72h-NOErC(Pseudokirchneriella subcapitata)=0.37 mg/L(OECD TG 201, GLP)(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : water solubility : < 0.03 mg/l (20°C, pH 6.4), 72h-NOErC(Desmodesmus subspicatus) > 3 mg/L (OECD TG 201, GLP) (ECHA); no short-term toxicity

2) Persistence and degradability

○ **Persistence**

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : log Kow=3.82 (OECD TG 107)(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : log Kow = 3.59 (22 °C, pH:ca. 5) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : log Kow=14.876 (estimated)(EPISUITE); not valid (over -4<log Kow < 8)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : log Kow = 9.2 (0 °C) (EU Method A.8, GLP) (ECHA)

○ **Degradability**

- Distillates (petroleum), hydrotreated heavy paraffinic : The chemical constituents that comprise the other lubricant base oils category consist entirely of carbon and hydrogen and do not contain hydrolyzable groups. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from the environment. (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Hydrolysis; In accordance with REACH Annex VIII column 2, the study does not need to be conducted as the substance is highly insoluble in water, < 0.03 mg / l.

3) Bioaccumulative potential

○ **Bioaccumulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : BCF=51-253(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : BCF=448.2 (estimated) (EPISUITE)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : BCF=3.162(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : BCF=258 (OECD TG 305, GLP) (ECHA)

○ **Biodegradation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Another lubricant base oil, Solvent Neutral 600 Base Oil (MRD-94 -981), was determined to be inherently biodegradable but not readily biodegradable with a mean degradation of 31.13% by day 28. (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- 영업비밀 : Not available
- N-Phenylbenzenamine : 26% degradation after 28d(OECD TG 301 D); no biodegradation observed(ECHA)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : < 5% degradation after 27 days; no biodegradation observed (OECD TG 301D) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 0% degradation after 28 days (Not biodegradable) (read across : Didecyl dimethyl ammonium chloride) (OECD TG 301C)(ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : not inherently biodegradable (EU Method C.9, GLP) (ECHA)

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- 영업비밀 : Not available

- N-Phenylbenzenamine : Koc=1900(HSDB)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Koc=495900 (EPISUITE)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Koc=3268000000
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Koc=258600 (EPISUITE)

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- 영업비밀 : Not available
- N-Phenylbenzenamine : Not available
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Waste must be disposed of in accordance with federal, state and local environmental control regulation.

2) Special precaution for disposal

- Consider the required attentions in accordance with waste treatment management regulation.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Transport hazard class(es)

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

15. REGULATORY INFORMATION

EINECS(or ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : European EINECS phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : European EINECS phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : European EINECS phase-in substance
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

EU CLP (CLASSIFICATION) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

Substances restricted under REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

Substances subject to authorization under REACH

REACH SVHC List

Korea

○ **Occupational Safety and Health Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Substance subject to occupational exposure limits
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Hazardous substance subject to control
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Hazardous substance subject to control
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **K-REACH**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Phase-in Substances subject to Registration
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **Chemical Control Act in Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Toxic substance

- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : List of substance subjected to the PRTR
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : List of substance subjected to the PRTR
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **Safety Control of Dangerous Substances Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

U.S.A

○ **US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **CERCLA Designation of hazardous substances (40 CFR 302.4)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **CERCLA Section 302 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **CERCLA Section 304 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **CERCLA Section 313 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : US management information(CERCLA Section 313 regulation)
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable

- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

Interntional Convention on Environment

○ **Rotterdam Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **Stockholm Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **Montreal Protocol list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

National Inventory

○ **Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Not applicable
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

○ **U.S.A**

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : US TSCA phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : US TSCA phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : US TSCA phase-in substance
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : US TSCA phase-in substance

○ **China**

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : China phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : China phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : China phase-in substance

- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : China phase-in substance

○ **Japan**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- 영업비밀 : Not applicable
- N-Phenylbenzenamine : Japan ENCS phase-in substance
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Japan ENCS phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Not applicable

16. OTHER INFORMATION

1) Reference

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

2) Issue Date

- 2019-07-16

3) Revision number and Last date revised

○ **Number of revised**

- 2

○ **Date of last revision**

- 2025-04-22

○ **Last Revision History**

- Revision of chemical composition and company information

4) Other

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.