

Material Safety Data Sheet

Product	Kixx G SF 30		
List No.	Issuing date	Last revised date	Department
LB2882	2012-11-30	2018-01-01	Finished Lubricants R&D Team

1. Identification of the substance/mixture and of the company/undertaking

1) Product identifier

- Kixx G SF 30

2) Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified uses : (Lubricants and additives)
Gasoline Engine Oil

- Uses advised against : Do not use for any other purpose.

3) Supplier information

Manufacturer information

- Company name : GS Caltex Corporation
[Manufacture]

- Address : GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea

- Emergency telephone number : +82-1899-5145

2. HAZARD IDENTIFICATION

1) Hazard classification

- Not applicable

2) Allocation label elements

Hazard pictograms

- Not applicable

Signal word

- Not applicable

Hazard statements

- Not applicable

Precautionary statements

1) Prevention

- Not applicable

2) Response

- Not applicable

3) Storage

- Not applicable

4) Disposal

- Not applicable

3) Other hazards

○ Product NFPA Level : Health , Flammability , Reactivity

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

※ Chemical NFPA Level.

- Distillates (petroleum), hydrotreated heavy paraffinic : Health=1, Flammable=1, Reaction=0
- Business Secret1 : Health=0, Flammable=0, Reaction=0
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Health=1, Flammable=1, Reaction=0
- Ethylene glycol : Health=2, Flammable=1, Reaction=0
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Health=0, Flammable=0, Reaction=0
- Phenol, (tetrapropenyl) derivs. : Health=0, Flammable=0, Reaction=0
- Phenol,(tetrapropenyl) derivs.,calcium salts : Health=0, Flammable=0, Reaction=0
- acrylic copolymer : Health=0, Flammable=0, Reaction=0

3. Composition/Information on ingredients

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	265-157-1	85 ~ 95
Business Secret1				1 ~ 10
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts		68649-42-3	272-028-3	0 ~ 1
Ethylene glycol		107-21-1	203-473-3	0 ~ 0.3
Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt		722503-70-0		0 ~ 0.3
Phenol, (tetrapropenyl) derivs.		74499-35-7		0 ~ 0.2
Phenol,(tetrapropenyl) derivs.,calcium salts		132752-19-3		0 ~ 0.2
acrylic copolymer				0 ~ 1

4. FIRST AID MEASURES

1) Following eye contact

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- Get medical aid immediately.

2) Following skin contact

- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- Remove and isolate contaminated clothing and shoes.
- Launder contaminated clothing and shoes before re-use.
- Get medical aid immediately.

3) Following inhalation

- Move to fresh air.

- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.
- Seek immediate medical assistance.

4) Following ingestion

- If unconscious but breathing, never give anything by mouth.
- Get medical aid immediately.

5) Advice to physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
- Do not apply drugs of the adrenaline ephedrine group.

5. FIRE FIGHTING MEASURES

1) Suitable (and unsuitable) extinguishing media

○ Suitable extinguishing media

- Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO₂ (Suitable extinguishing media).
- Large fire: Water spray/fog, regular foam (Suitable extinguishing media).

○ Unsuitable extinguishing media

- High-pressure water (Unsuitable extinguishing media).

2) Special hazards arising from the substance or mixture

- May ignited from heat, friction or contamination.
- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- May cause toxic effects if inhaled.
- Some liquids produce vapors that may cause dizziness or suffocation.
- May ignited from heat, friction or contamination.
- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- May cause toxic effects if inhaled.
- Some liquids produce vapors that may cause dizziness or suffocation.

3) Special protective equipment for firefighters

- Substance may be transported hot.
- Runoff may cause pollution.
- Contact may cause burns to skin and eyes.
- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

6. ACCIDENTAL RELEASE MEASURES

1) Health considerations and protective equipment

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Stop leak if you can do it without risk.
- Please note that materials and conditions to be avoided.
- Ventilate the contaminated area.
- Do not touch or walk through spilled material.
- Prevent dust cloud.
- Do not enter areas which have more than 23.5% oxygen in the atmosphere, without respirator or air supplied mask.

2) Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

3) For cleaning up

- Small Spill: Flush area with flooding quantities of water.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

7. HANDLING AND STORAGE

1) Precautions for safe handling

- Please note that materials and conditions to be avoided.
- Wash ... thoroughly after handling.
- Handling refer to engineering control/personal protection section.
- CAUTION: High temperature.
- CAUTION: This material does not contain oxygen and may cause asphyxia if released in a confined area.
- High concentration of this gas will create an oxygen-deficient atmosphere, creating the risk of asphyxiation. Check oxygen content before entering area.
- CAUTION: Vapors displace air and can cause asphyxiation in confined spaces if released material.
- Keep under 20°C. This material evaporate slowly at 20°C and reach toxic concentration.
- Do not spray. This material does not easily evaporated. But can be reach toxic concentration quickly in air if sprayed.
- Check oxygen content before entering area.
- Use adequate machine for prevention when package handling.
- Avoid any skin and eye contact when insert undiluted solution. Wash ... thoroughly after handling.
- Caution: Dangerous fire hazard when exposed to heat, or flame, sparks.
- Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)

2) Conditions for safe storage (including any incompatibilities)

- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store containers: AVOID the place where can be damage and contamination.
- Store in a cool/low-temperature, well-ventilated {dry} place {away from heat and ignition sources}

- Choose a place that can be protected from strong oxidizers and acid.
- Drum Handling: Must work at safe place., Loading more than 3 stack is prohibited.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Chemical exposure limits, Biological exposure standard

○ Occupational exposure limits (Domestic)

- Distillates (petroleum), hydrotreated heavy paraffinic : TWA Not applicable, STEL Not applicable
- Business Secret1 : TWA Not applicable, STEL Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : TWA Not applicable, STEL Not applicable
- Ethylene glycol : TWA Not applicable, STEL C 100 mg/m³
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : TWA Not applicable, STEL Not applicable
- Phenol, (tetrapropenyl) derivs. : TWA Not applicable, STEL Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : TWA Not applicable, STEL Not applicable
- acrylic copolymer : TWA Not applicable, STEL Not applicable

○ Occupational exposure limits (ACGIH)

- Distillates (petroleum), hydrotreated heavy paraffinic : TWA 5mg/m³, STEL Not applicable
- Business Secret2 : TWA Not applicable, STEL Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : TWA Not applicable, STEL Not applicable
- Ethylene glycol : TWA 25 ppm TWA (vapor fraction), STEL 50 ppm STEL (vapor fraction); 10 mg/m³ STEL (inhalable particulate matter, aerosol only)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : TWA Not applicable, STEL Not applicable
- Phenol, (tetrapropenyl) derivs. : TWA Not applicable, STEL Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : TWA Not applicable, STEL Not applicable
- acrylic copolymer : TWA Not applicable, STEL Not applicable

○ Biological limit values

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret3 : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Ethylene glycol : Not applicable
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phenol, (tetrapropenyl) derivs. : Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- acrylic copolymer : Not applicable

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

3) Personal protection equipment

○ Respiratory protection

- If high frequency of use or exposure, wear air respirator.

- Wear breathing protection, which needs a confirmation from the Korea Occupational Safety and Health Agency.

○ **Eye protection**

- Wear suitable protective goggles and face shields.
- Wear face shield to protect eyes from scattering dust or hazardous liquid.
- Wear Non-moisture permeable goggle for dust protection.
- Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

○ **Hand protection**

- Wear insulated gloves.
- Wear Non-moisture permeable chemical resistance protective gloves(latex, nitrile rubber, PVC) for prevent skin contact.

○ **Body protection**

- When contact is likely wear chemical resistant, oil and grease resistant, non-moisture permeable shoes and clothes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Appearance	Clear, light yellow liquid
Smell	a specific smell of Hydrocarbon
Smell Threshold	No Data
pH	No Data
Melting/Freezing Point	No Data
Boiling Point	No Data
Flash Point	256 °C
Evaporating Rate	No Data
Flammability	No Data
Explosibility Range	No Data
Steam Pressure	No Data
Solubility	No Data
Vapor Density	No Data
Specific Gravity	0.868
Distribution Coefficient	No Data
Selfignition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	10.32 mm ² /s (at 100°C)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

1) Stability and hazardous reactivity

- Stable under normal temperatures and pressures.
- Containers may explode when heated.
- Some may burn but none ignite readily.

- Fire may produce irritating and/or toxic gases.
- May cause toxic effects if inhaled.
- Some liquids produce vapors that may cause dizziness or suffocation.

2) Conditions to avoid

- Ignition source(heat, spark, flame, etc.).

3) Incompatible materials

- Combustibles.
- Irritating and/or toxic gas.

4) Hazardous decomposition products

- Not available

11. TOXICOLOGICAL INFORMATION

1) Exposure route information

Inhalation

- After inhalation: No data

Skin Contact

- Following skin contact: No data

Eye Contact

- After eye contact: No data

Ingestion

- After ingestion: No data

2) Health hazard information

Acute toxicity

* Oral - PRODUCT : Not applicable (ATEMix > 2,000 mg/kg)

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >15000 mg/kg Species : Rat
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : LD50 7712 mg/kg Rat
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : LD50>2000 mg/kg(Oral)
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

* Dermal - PRODUCT : Not applicable (ATEMix > 2,000 mg/kg)

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >5000 mg/kg Species : Rabbit
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : LD50 >3500 mg/kg Species : Mouse
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : LD50>15000 mg/kg(Dermal)
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

* Inhalation(Gas) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data

- Ethylene glycol : No data
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

*** Inhalation(Vapour) - PRODUCT : Not applicable (ATEMix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : LC50 >2.5 mg/l 6 hr Species : Rat
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

*** Inhalation(Dust, mist) - PRODUCT : Not applicable (ATEMix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 5.53 mg/L 4h Rat
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : LC50 > 3.75 mg/kg Rat
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Skin corrosion/Irritation

- Distillates (petroleum), hydrotreated heavy paraffinic : Rabbit - slightly irritating
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Irritating
- Ethylene glycol : Rabbit - not irritating (8 days)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : Animal data indicate that this substance causes irritation to the skin.
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Serious eye damage/irritation

- Distillates (petroleum), hydrotreated heavy paraffinic : Rabbit, not irritating, OECD TG 405 GLP (Read-across CAS No. 64742-53-6)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Rabbit - irritating (OECD 405, GLP)
- Ethylene glycol : Rabbit - not irritating (ocular irritation index = 1)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : Animal data indicate that this substance causes irritation to the eye.
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Respiratory sensitization

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not sensitising (Guinea pig)
- Ethylene glycol : No data
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Skin sensitization

- Distillates (petroleum), hydrotreated heavy paraffinic : Not sensitising (Guinea Pig)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not sensitising (Guinea pig)
- Ethylene glycol : Not sensitising (Guinea pig; OECD TG 406, GLP)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : Not sensitising
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Carcinogenicity

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP:1B The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measure by IP 346
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : ACGIH:A4
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Germ cell mutagenicity

- Distillates (petroleum), hydrotreated heavy paraffinic : CHO cell - Negative
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : In vitro(bacterial reverse mutation assay(OECD TG 471, GLP), gene mutation in mammalian cells, chromosome aberration study in mammalian cells) - Negative(Metabolic activation: with and without), In vi
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : In vitro - Negative(gene mutation in bacterial and mammalian cells), In vivo- Negative(micronucleus test)
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Reproductive toxicity

- Distillates (petroleum), hydrotreated heavy paraffinic : Reproductive performance was not adversely affected at any dose level evaluated. (Rat)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : NOEL 1000 mg/kg Mouse
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : In rats, tetrapropenyl phenol causes a reduction in the fertility of both sexes and a reduction in mean live litter size, in the presence of general toxicity, at a dose of ≥ 75 mg/kg/day. Effects on ma
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Specific target organ toxicity (single exposure)

- Distillates (petroleum), hydrotreated heavy paraffinic : No systemic effects were observed.
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Respiratory tract irritation
- Ethylene glycol : Nasal and respiratory irritation were identified in a few of people
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Specific target organ toxicity (repeated exposure)

- Distillates (petroleum), hydrotreated heavy paraffinic : No systemic effects were observed.

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : All animals survived to the end of the study and final mean body weight of exposed mice did not differ significantly from those of the controls. Only male mice in the 25000 & 50000 ppm groups exhibit
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : The NOAEL for repeated-dose toxicity in rodents is 5 mg/kg/day, as adrenal cortical hypertrophy was observed at doses of 20 mg/kg/day and above. It is noteworthy that similar changes were not observed
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Aspiration hazard

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : No data
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

12. ECOLOGICAL INFORMATION

1) Aquatic toxicity

○ Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 100 mg/L Fish(Pimephales promelas)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : IUCLID LC50 5 mg/l ~ 1 mg/l 96 hr Pimephales promelas
- Ethylene glycol : LC50 72860 mg/L Fish(Pimephales promelas)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : LC50 > 5600 mg/L Fish(Oncorhynchus mykiss)
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Crustacean

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 10000 mg/L Aquatic invertebrates(Gammarus pulex)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : IUCLID EC50 5 mg/l ~ 1 mg/l 48 hr Daphnia pulex
- Ethylene glycol : EC50 > 100 mg/L Aquatic invertebrates(Daphnia magna)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : LC50 0.177 mg/l 48 hr
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : NOEC >= 100 mg/L Aquatic algae(Pseudokirchnerella subcapitata)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : EC50 6500 mg/L Aquatic algae(Pseudokirchnerella subcapitata)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : EC50 0.6 mg/l 96 hr
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

2) Persistence and degradation

○ Persistence

- Distillates (petroleum), hydrotreated heavy paraffinic : log Kow 6
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : log Kow -1.93
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : 5.12 log Kow
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ Degradation

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : DOC 90 %
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

○ biodegradation

- Distillates (petroleum), hydrotreated heavy paraffinic : BOD 77 %
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : No data
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

3) Bioaccumulative potential

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : BCF 10 Fish(*Leuciscus idus melanotus*)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : 1111
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : Koc 1
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Ethylene glycol : Not applicable
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable

- Phenol, (tetrapropenyl) derivs. : Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Fish: NOEC(Pimephales promelas) >5000 mg/L/7d
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : No data
- Ethylene glycol : NOEC7d=15380mg/L(Daphnia magna, EPA 600/4-89/001.USEPA), NOEC7d=24000mg/L(Daphnia magna,OECD 202,GLP)
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : No data
- Phenol, (tetrapropenyl) derivs. : No data
- Phenol,(tetrapropenyl) derivs.,calcium salts : No data

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Every commercial waste producer shall either treat wastes generated from his/her place of business by him/herself or commission the treatment of such wastes to a person who has license for a waste treatment business under Article 26(3), a person who recycles of such wastes under Article 44(2), a person who has installed and operates a waste disposal facility under Article 4 or 5, a person who has completed the registration of a business of discharging wastes into the sea under Article 18 of the Marine Environment Management Act.

2) Precautions (including disposal of contaminated container of package)

- Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)
- Do not allow spill material to enter sewers, storm water drains, soil, etc.
- Empty containers recycled under environmental laws.
- Empty containers may rupture when pressured.
- Empty containers may explode and residues can be ignited when pressured, cut, weld, heated.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Class or division

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

15. REGULATORY INFORMATION

1) Occupational Safety and Health Act in Korea - PRODUCT :

- Phenol, (tetrapropenyl) derivs. : Not applicable
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Hazardous Substances Requiring Management
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : Substance exposure limits,Hazardous Substances Requiring Management,Environment measure substance,Special medical examination material
- acrylic copolymer : No data
- Business Secret : No data

2) Toxic Chemical Control Act in Korea - PRODUCT :

- Phenol, (tetrapropenyl) derivs. : Existing Commercial Chemical Substances
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Existing Commercial Chemical Substances
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Pollutant release and transfer register substances,Existing Commercial Chemical Substances
- Distillates (petroleum), hydrotreated heavy paraffinic : Existing Commercial Chemical Substances
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : Existing Commercial Chemical Substances
- acrylic copolymer : No data
- Business Secret : No data

3) Safety Control of Dangerous Substances Act in Korea - PRODUCT :

- Phenol, (tetrapropenyl) derivs. : Not applicable
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : Not applicable
- acrylic copolymer : No data
- Business Secret : No data

4) Wastes Control Act in Korea - PRODUCT : 지정 폐기물

-

5) Other regulations in KOREA and Abroad regulations

○ U.S.A. management information(OSHA regulation)

- Phenol, (tetrapropenyl) derivs. : Not applicable
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : Not applicable
- acrylic copolymer : No data
- Business Secret : No data

○ **U.S.A. management information(CERCLA regulation)**

- Phenol, (tetrapropenyl) derivs. : Not applicable
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : 5000 lb final RQ; 2270 kg final RQ
- acrylic copolymer : No data
- Business Secret : No data

○ **EU Classification (CLASSIFICATION)**

- Phenol, (tetrapropenyl) derivs. : Skin Corr. 1C,Repr. 1B,Eye Dam. 1,Aquatic Acute 1,Aquatic Chronic 1
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Carc. 1B
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : Acute Tox. 4
- acrylic copolymer : No data
- Business Secret : No data

○ **EU Classification (Risk Phrases)**

- Phenol, (tetrapropenyl) derivs. : H314,H360F,H318,H400,H410
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : H350
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : H302
- acrylic copolymer : No data
- Business Secret : No data

○ **EU Classification (Safety Phrases)**

- Phenol, (tetrapropenyl) derivs. : S:(1/2)-26-36/37/39-45-61
- Methylbenzenesulfonic acid, mono(C=20~28)-branched alkyl derivs., calcium salt : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : S:53-45
- Phenol,(tetrapropenyl) derivs.,calcium salts : Not applicable
- Ethylene glycol : S:(2)
- acrylic copolymer : No data
- Business Secret : No data

16. OTHER INFORMATION

1) Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.

- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

2) Print date

- 2012-11-30

3) Revision date

Number of revised

- 4

Date of last revision

- 2018-01-01

Last Revision History

- revision of chemical composition and company information

4) Other

- This information is based on current available databases to protect the health, environment and safety of workers.