

Material Safety Data Sheet

Product	Kixx CVTF			
List No.	Issuing date Last revised date Department		Department	
LB2708	2014-09-04	2018-01-01	Finished Lubricants R&D Team	

1. Identification of the substance/mixture and of the company/undertaking

- 1) Product identifier
 - Kixx CVTF

2) Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified uses : (Lubricants and additives)
- Uses advised against : Do not use for any other purpose.

3) Supplier information

○ Manufacturer information

- Company name [Manufacture]	: GS Caltex Corporation
- Address	: GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea
- Emergency telephone number	: 1899-5145

2. HAZARD IDENTIFICATION

1) Hazard classification

Hazardous to the aquatic environment, long-term (chronic) Chronic 2

- 2) Allocation label elements
 - Hazard pictograms



- Signal word
- Not applicable
- Hazard statements
 - H411 Toxic to aquatic life with long lasting effects.

O Precautionary statements

1) Prevention

- P273 Avoid release to the environment.
- 2) Response
 - P391 Collect spillage.
- 3) Storage
 - Not applicable
- 4) Disposal

- P501 Dispose of contents/container to

3) Other hazards

O Product NFPA Level : Health , Flammability , Reactivity

- (X 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)
- X Chemical NFPA Level.
- Distillates (petroleum), hydrotreated heavy paraffinic : Health=1, Flammable=1, Reaction=0
- Business Secret1 : Health=0, Flammable=0, Reaction=0
- ar-Nonyl-N-(nonylphenyl)benzenamine : Health=1, Flammable=1, Reaction=0
- N-n-Octadecyldimethylamine : Health=3, Flammable=1, Reaction=0
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Health=1, Flammable=1, Reaction=0

3. Composition/Information on ingredients

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	265-157-1	85 ~ 95
Business Secret1				5 ~ 10
ar-Nonyl-N-(nonylphenyl)benzenamine		36878-20-3	253-249-4	0.1 ~ 1.0
N-n-Octadecyldimethylamine		124-28-7	204-694-8	0.1 ~ 0.5
2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol		95-38-5	202-414-9	0.01 ~ 0.1

4. FIRST AID MEASURES

1) Following eye contact

- Seek immediate medial assistance.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

2) Following skin contact

- Seek immediate medial assistance.
- Remove and isolate contaminated clothing and shoes.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

3) Following inhalation

- Move to fresh air.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.

4) Following ingestion

- Seek immediate medial assistance.

5) Advice to physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

1) Suitable (and unsuitable) extinguishing media

O Suitable extinguishing media

- Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
- Use dry sand or earth to smother fire.
- Dry chemical.
- Regular foam.

O Unsuitable extinguishing media

- High-pressure water.

2) Special hazards arising from the substance or mixture

- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.

3) Special protective equipment for firefighters

- Evacuate area and fight fire from a safe distance.
- Substance may be transported hot.
- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

5. ACCIDENTAL RELEASE MEASURES

1) Health considerations and protective equipment

- Clean up spills immediately, observing precautions in Protective Equipment section.
- Do not touch or walk through spilled material.
- Stop leak if you can do it without risk.
- Prevent dust cloud.
- Please note that materials and conditions to be avoided.

2) Environmental precautions

- Keep out of waterways.
- Prevent entry into waterways, sewers, basements or confined areas.

3) For cleaning up

- Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container.
- Absorb the liquid and scrub the area with detergent and water.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

1) Precautions for safe handling

- Follow all MSDS/label precautions even after container is emptied because they may retain product residues.
- Please note that materials and conditions to be avoided.
- Handling refer to engineering control/personal protection section.
- CAUTION: High temperature.

2) Conditions for safe storage (including any incompatibilities)

- Not available

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Chemical exposure limits, Biological exposure standard

O Occupational exposure limits (Domestic)

- Distillates (petroleum), hydrotreated heavy paraffinic : TWA Not applicable, STEL Not applicable
- Business Secret1 : TWA Not applicable, STEL Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : TWA Not applicable, STEL Not applicable
- N-n-Octadecyldimethylamine : TWA Not applicable, STEL Not applicable
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : TWA Not applicable, STEL Not applicable

Occupational exposure limits (ACGIH)

- Distillates (petroleum), hydrotreated heavy paraffinic : TWA 5mg/m3, STEL Not applicable
- Business Secret2 : TWA Not applicable, STEL Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : TWA Not applicable, STEL Not applicable
- N-n-Octadecyldimethylamine : TWA Not applicable, STEL Not applicable
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : TWA Not applicable, STEL Not applicable

○ Biological limit values

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret3 : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

3) Personal protection equipment

○ Respiratory protection

- If high frequency of use or exposure, wear air respirator.
- Wear breathing protection, which needs a confirmation from the Korea Occupational Safety and Health Agency.

○ Eye protection

- Wear suitable protective goggles and face shields.
- Wear face shield to protect eyes from scattering dust or hazardous liquid.
- Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

○ Hand protection

- Wear insulated gloves.

- Wear Non-moisture permeable chemical resistance protective gloves(latex, nitrile rubber, PVC) for prevent skin contact.

○ Body protection

- When contact is likely wear chemical resistant, oil and grease resistant, non-moisture permeable shoes and clothes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value	
Apperance	Clear, Red liquid	
Smell	a specific smell of Hydrocarbon	
Smell Threshold	No Data	
рН	Notapplicable	
Melting/Freezing Poing	No Data	
Boilling Point	290∼500 °C	
Flash Point	220 °C	
Evaporating Rate	No Data	
Flammability	Notapplicable	
Explosibility Range	No Data	
Steam Pressure	<0.1 kPa (at 20°C)	
Solubility	No Data	
Vapor Density	No Data	
Specific Gravity	0.85	
Distribution Coefficient	No Data	
SelfIgnition Temperature	No Data	
Pyrolysis Temperature	No Data	
Viscosity	7.2 mm2/s (at 100°C)	
Molecular Weight	No Data	

10. STABILITY AND REACTIVITY

1) Stability and hazardous reactivity

- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.

2) Conditions to avoid

- Heat.

3) Incompatible materials

- Not available
- 4) Hazardous decomposition products
 - Irritating and/or toxic gas.

1) Exposure route information

Inhalation

- After inhalation: No data

O Skin Contact

- Following skin contact: No data

○ Eye Contact

- After eye contact: No data

○ Ingestion

- After ingestion: No data

2) Health hazard information

○ Acute toxicity

* Oral - PRODUCT : Not applicable (ATEMix > 2,000 mg/kg)

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >15000 mg/kg Species : Rat
- ar-Nonyl-N-(nonylphenyl)benzenamine : LD50 >5000 mg/kg Species : Rat
- N-n-Octadecyldimethylamine : LD50 2116 mg/kg (Rat)
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : LD50=ca. 1265 mg/kg bw(rat, female/male) (OECD Guideline 401)

* Dermal - PRODUCT : Not applicable (ATEMix > 2,000 mg/kg)

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >5000 mg/kg Species : Rabbit
- ar-Nonyl-N-(nonylphenyl)benzenamine : LD50 > 2000 mg/kg bw (Rat; male/female; OECD Guideline 402; 1988)
- N-n-Octadecyldimethylamine : LD50=3432 mg/kg (Rabbit)
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

* Inhalation(Gas) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

* Inhalation(Vapour) - PRODUCT : No data

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

* Inhalation(Dust, mist) - PRODUCT : Not applicable (ATEMix > 5 mg/L)

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 5.53 mg/L 4h Rat
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

\bigcirc Skin corrosion/Irritation

- Distillates (petroleum), hydrotreated heavy paraffinic : Rabbit - slightly irritating

- ar-Nonyl-N-(nonylphenyl)benzenamine : Slightly irritating
- N-n-Octadecyldimethylamine : rabbit; corrosive
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : rabbit; corrosive (OECD Guideline 404)

○ Serious eye damage/irritation

- Distillates (petroleum), hydrotreated heavy paraffinic : Rabbit, not irritating, OECD TG 405 GLP (Read-across CAS No. 64742-53-6)
- ar-Nonyl-N-(nonylphenyl)benzenamine : Rabbit not irrtating
- N-n-Octadecyldimethylamine : skin corrosive
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : rabbit; corrosive (OECD Guideline 405)

○ Respiratory sensitization

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

○ Skin sensitization

- Distillates (petroleum), hydrotreated heavy paraffinic : Not sensitising (Guinea Pig)
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not sensitising (Guinea pig)
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : skin sensitising

○ Carcinogenicity

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP:1B The classification as a carcinogen need not apply if it can be shown that the sybstance contains less than 3% DMSO extract as measure by IP 346

- ar-Nonyl-N-(nonylphenyl)benzenamine : No data

- N-n-Octadecyldimethylamine : No substance related carcinogenic effects were observed in any organ. NOAEL-values were established based on general signs of general toxicity. For males the NOAEL is 42.3 for females it is 52.6 mg/kg

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

○ Germ cell mutagenicity

- Distillates (petroleum), hydrotreated heavy paraffinic : CHO cell - Negative

- ar-Nonyl-N-(nonylphenyl)benzenamine : in vitro - Negative (Bacterial Reverse Mutation Assay, S. typhimurium TA 1535, TA 1537, TA 98 and TA 100)

- N-n-Octadecyldimethylamine : In vitro- Negative (Bacterial Reverse Mutation Assay; OECD TG 471)

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : In vitro- Negative (Bacterial Reverse Mutation Assay; OECD TG 471)

○ Reproductive toxicity

- Distillates (petroleum), hydrotreated heavy paraffinic : Reproductive performance was not adversely affected at any dose level evaluated. (Rat)

- ar-Nonyl-N-(nonylphenyl)benzenamine : Parental toxicity was observed at 500 mg / kg bw (Rat; OECD Guideline 414 ; 2014)

- N-n-Octadecyldimethylamine : In this reproduction / devolopment toxicity screening test with rats the no-observedeffect level (NOEL) for both parent animals and their pups was 50 mg test item/ kg b.w./day, by gavage. 150 mg/kg b

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Under the conditions of this Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test in Wistar Rats the no observed adverse effect level (NOAEL) for reproduct

○ Specific target organ toxicity (single exposure)

- Distillates (petroleum), hydrotreated heavy paraffinic : No systemic effects were observed.
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

O Specific target organ toxicity (repeated exposure)

- Distillates (petroleum), hydrotreated heavy paraffinic : No systemic effects were observed.

- ar-Nonyl-N-(nonylphenyl)benzenamine : NOEL<100 mg/kg bw/day(Rat(m/f); OECD Guideline 408) Regarding clinical examination, incipient general systemic toxicity was observed in males of the high dose group(1000 mg/kg bw/d). These animals sho

- N-n-Octadecyldimethylamine : Under the conditions of the test no systemic toxicity could be observed. Therefore the NOEL is > 1.5 mg a.i./kg bw, based on the highest concentration tested. However this concentration produced sligh

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : 100 mg/kg bw/ day caused mortality, effects in the gastrointestinal tract and signs of stress. The NOAEL for general, systemic toxicity of the test substance was 20 mg/kg bw/d for male and female anim

○ Aspiration hazard

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : 35.85 mm2/s(40 °C; OECD Test Guideline 114; 2009)

12. ECOLOGICAL INFORMATION

1) Aquatic toxicity

O Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 100 mg/L Fish(Pimephales promelas)
- ar-Nonyl-N-(nonylphenyl)benzenamine : LC50>100 mg/L (Danio rerio; 96h; OECD Guideline 203; 1989)
- N-n-Octadecyldimethylamine : LC50 0.079 mg/l 96 hr Oryzias latipes
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : LC50=0.3 mg/L(Brachydanio rerio; 96h; OECD Guideline 203; 1989)

O Crustacean

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 10000 mg/L Aquatic invertebrates(Gammarus pulex)
- ar-Nonyl-N-(nonylphenyl)benzenamine : EC50> 100 mg/L(Daphnia magna; 48h; OECD Guideline 202; 2004)
- N-n-Octadecyldimethylamine : LC50 0.016 mg/l 48 hr Daphnia magna
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : EC50=0.163mg/L(Daphnia magna; 48h; OECD Guideline 202; 2010)

○ Acuatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : NOEC >= 100 mg/L Aquatic algae(Pseudokirchnerella subcapitata)

- ar-Nonyl-N-(nonylphenyl)benzenamine : EC50 > 100 mg/L (Desmodesmus subspicatus; 72h; OECD Guideline 201; 2006)

- N-n-Octadecyldimethylamine : ErC50=0.0141 mg/L, NOErC=0.00517 mg/L(Desmodesmus subspicatus; 72hr; OECD TG 201)

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : ErC50=0.03 mg/L(Desmodesmus subspicatus; 72h; OECD Guideline 201; 2010)

2) Persistence and degradation

- Distillates (petroleum), hydrotreated heavy paraffinic : log Kow 6
- ar-Nonyl-N-(nonylphenyl)benzenamine : 12.24 log Kow
- N-n-Octadecyldimethylamine : 8.39 log Kow (estimated)
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : 7.510 log Kow

Degradation

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

○ biodegradation

- Distillates (petroleum), hydrotreated heavy paraffinic : BOD 77 %
- ar-Nonyl-N-(nonylphenyl)benzenamine : 15 (%) 28 day
- N-n-Octadecyldimethylamine : 68% degradation after 28 days (OECD Guideline 301 D)
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : 1% degradation after 28 days (OECD Guideline 301 B)

3) Bioaccumulative potential

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : 27400 BCF
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : BCF=1887

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- ar-Nonyl-N-(nonylphenyl)benzenamine : 35900000 (estimated)
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Koc=40020

5) Hazard to the ozone laye

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Fish: NOEC(Pimephales promelas) >5000 mg/L/7d
- ar-Nonyl-N-(nonylphenyl)benzenamine : No data
- N-n-Octadecyldimethylamine : No data
- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : No data

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Every commercial waste producer shall either treat wastes generated from his/her place of business by him/herself or commission the treatment of such wastes to a person who has license for a waste treatment business under Article 26(3), a person who recycles of such wastes under Article 44(2), a person who has installed and operates a waste disposal facility under Article 4 or 5, a person who has completed the registration of a business of discharging wastes into the sea under Article 18 of the Marine Environment Management Act.

2) Precautions (including disposal of contaminated container of package)

- Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)
- Do not allow spill material to enter sewers, storn water drains, soil, etc.
- Empty containers recycled under environmental laws.
- Empty containers may rupture when pressured.
- Empty containers may explode and residues can be ignited when pressured, cut, weld, heated.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable
- 2) Proper shipping name
 - Not applicable

3) Class or division

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

15. REGULATORY INFORMATION

1) Occupational Safety and Health Act in Korea - PRODUCT :

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- Business Secret : No data

2) Toxic Chemical Control Act in Korea - PRODUCT :

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Existing Commercial Chemical Substances
- Distillates (petroleum), hydrotreated heavy paraffinic : Existing Commercial Chemical Substances
- ar-Nonyl-N-(nonylphenyl)benzenamine : Existing Commercial Chemical Substances
- N-n-Octadecyldimethylamine : Existing Commercial Chemical Substances
- Business Secret : No data

3) Safety Control of Dangerous Substances Act in Korea - PRODUCT :

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- Business Secret : No data

4) Wastes Control Act in Korea - PRODUCT : 지정 폐기물

5) Other regulations in KOREA and Abroad regulations

○ U.S.A. management information(OSHA regulation)

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- Business Secret : No data

○ EU Classification (CLASSIFICATION)

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Carc. 1B
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- Business Secret : No data

○ EU Classification (Risk Phrases)

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : H350
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- Business Secret : No data

○ EU Classification (Safety Phrases)

- 2-(2-Heptadec-8-enyl-2-imidazolin-1-yl)ethanol : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : S:53-45
- ar-Nonyl-N-(nonylphenyl)benzenamine : Not applicable
- N-n-Octadecyldimethylamine : Not applicable
- Business Secret : No data

16. OTHER INFORMATION

1) Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.

- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

2) Print date

- 2014-09-04

3) Revision date

 \bigcirc Number of revised

- 3

 \bigcirc Date of last revision

- 2018-01-01
- \bigcirc Last Revision History
 - No revision information

4) Other

- 이 정보는 근로자 건강, 환경, 안전을 보호하고자, 현재 가용할 수 있는 DB를 근거로 하여 작성하였음.